JOURNAL OF THE KANSAS ENTOMOLOGICAL SOCIETY
62(4), 1989, pp. 611–614

INDEX TO VOLUME 62

Abedus indentatus, paternal care of eggs, 548
acorns as food of maize weevils, 416
Acrididae, cannibalism in, 534
Adler, P. H., 413
adult progeny production in sorghum pests, 335
age, effect of on territory defense, 363
Agrotis ipsilon, 542
Alaska, solitary bees of, 468
Alcock, J., 484
Allen, R. T., 125
alpha-amylase, types of maize weevil, 430; inhibitors of in rice weevil, 435
amaranths, insects feeding on, 440
Amaurobius ferox, 127
Amblyopinini, systematics of tribe, 374
Anastatus semiflavidus, developmental biology, 300
Andrenidae, 59
Anthophoridae, *Centris*, 484; *Pectinapis*, 524
Anthrax species, host records, 274; biology, 274
ants, *Paraponera*, 133
Aphids, density oscillations, 117; on overwintering spinach, 596
Apidae, 80; Meliponinae, 11
Apis mellifera ligustica, Dufour's gland of, 449
Apoidea, associated with Miltogrammini, 254; solitary bees of Alaska, 468
Apriyanto, D., 392
Aralichus hastifolia, 329
Araneae, of Arkansas, 284
arboreal nesting of *Paraponera*, 133
Armbruster, W. S., 468
Arnold, D.C., 601
Ashe, J. S., 374
Ashlock, P. D. (obituary), 297
Atyeo, W. T., 329
Baker, J. E., 430, 435
Barker, J. F., 132
Baumgartner, D. L., 11
Baxter, J. E., 128
bees, collecting pollen of death camas, 411; Dufour's gland, 449; elongate labium in *Niltonia*, 400; in transfer of sunflower pollen, 387; long-term size variation in *Centris*, 484; nesting of *Perdita bradleyi*, 140; *Pectinapis*, 524; solitary, of Alaska, 468; stingless, 11; taxonomy of *Ctenonomia*, 496
behavior, courtship in *Abedus*, 316; fighting by weevils, 421; flight of black cutworm moths, 542; in relation to biological control, 146, 148, 156, 164; nesting, of *Perdita*, 59; nesting, of *Tachysphex*, 44; of *Dineutus emarginatus*, 268; of first instar larvae of *Heliothis* spp., 413; of honey bee workers, 80; of males of *Sphecius*, 363
Belcher, D. W., 590
Belostomatidae, behavior, 316; paternal care of eggs in *Abedus*, 548
Bembix rostrata, 490
Beregovoy, V. H., 117
bermudagrass, leafhoppers on parasitized by dryinids, 602
biological control, 145, 148, 156, 177, 189, 203, 211
black cutworm, 542
blow flies, interactions with bees, 19
bluestem grasses, chloropid in, 279
Bohart, R. M., 462
Bombus terrestris, colony size and growth, 581
Bombyliidae, host records, 274
Bowles, D. E., 234
Braconidae, parasitoids in green cloverworm, 156; in European corn borer, 164
Braman, S. K., 156
Branson, T. F., 521
Breden, F., 307
Breed, M. D., 133
brood rearing, early termination in *Polistes*, 353
bumble bees, colony size and growth, 581
Buntin, G. D., 602
Byers, G. W., 297
cabbage looper, on amaranth, 443
caddisflies, in Arkansas, 234
Cane, J. H., 140
cannibalism,effecton larvae of corn borers,307∞ grasshoppers, 534
Cardamine, damaged be leaf miners, 1
Carlton, C. E., 125
carrion, collected by bees, 11
Centris pallida, long-term size variation, 484
Cerambycidae, *Stenaspis*, 528
Ceratocombidae, 125
Ceratopogonidae, 228
Chapman, G. B., 449
Chippendale, G. M., 307
Chironomus mendax, occurrence in North America, 292
Chloropidae, *Conioscinella*, 279; *Meromyza*, 601
Chrysomelidae, western corn rootworm, 108, 607
cicada-killer wasps, territory defense, 363
Cicadellidae, *Empoasca fabae*, 593; new species from Venezuela, 281
cleptoparasites, 53
club fighting by weevils, 421
Coccinellidae, parasitoids of, 211
Colletidae, mouthparts, 400
Collinge, S. K., 1
colony productivity of *Bombus*, 581
comparative behavior and ecology in relation to biological control (symposium), 145 ff.
Conioscinella nuda in bluestem, 279
Conopidae, hyperparasite of, 418
corn, feeding on by *Euschistus*, 392; (see also maize)
corn borer, European, 103
corn earworm, on amaranth, 445
corn rootworm, larval survival, 521
cowpea aphid, on amaranth, 446
cropping systems, effect on wireworm numbers, 590
crowding, of larvae, effect on adults of *Agrotis*, 542
Ctenonomia, subgenus of bees, 496

Culicoides **elemae**, new species, 228; *guttipennis* group, 232
Cummingsia, intermedia, 576; **micheneri**, new species, 577; key to species, 579
Curculionidae, fighting, 423; phenotypic variation, 432; amylase inhibitors in rice weevil, 435, oviposition, 23, 32, sunflower stem weevil, 132
Danforth, B. N., 59
death camas and associated insects, 411
defense of territory by male *Sphecius*, 363
defoliation of soybean, effects on yield, 96
degermination of sorghum kernels by stored-grain insects, 335
density oscillations in greenbug aphids, 117
development, of *Sitophilus* on maize, 32
developmental threshold, 300
Diabrotica virgifera, 108; development affected by temperature, 348; egg hatch, 607; neonate larvae, 521
Dial, C. I., 413
diet, effects of on growth of fire ant colonies, 288
digger wasp, *Bembix*, 490
DIMBOA concentration in maize, 103
Dineutus emarginatus, diel activity, 268
Ding, D., 164
Dinocampus coccinellae, parasitoids, 211
division of labor, 80
Dorris, P. R., 284
Downes, W. L., 254
Drosophilidae, 1
Dryinidae, parasites of leafhoppers, 602
Dufour's gland, in *Apis mellifera*, 449
Dziedzickia, **pentastybolia**, new species, 128; new taxonomic combinations, 128
Eberhard, W. G., 421
ecology, in relation to biological control, 145; of egg parasitoids of *Anasa*, 177
Edovum puttleri, biotypes, 189
Edrabius, probable larva of undescribed species, 374
egg development, in *Abedus*, 548
egg-hatching behavior in *Heliothis* spp., 413
egg parasitoids, of *Anasa*, comparative ecology, 177; of *Leptinotarsa*, 189; of *Hemileuca oliviae*, 300
eggs, of corn rootworm, effect of different overwintering temperatures, 607
Eickwort, G. C., 411
Elateridae, at baits in corn fields, 590
Empoasca fabae on alfalfa, 593
Euparagia, review of genus, 462; key, 462; **siccata**, new species, 466; **yuma**, new species, 466
Eupelmidae, 300
Eupithecia caterpillars, florivores on death camas, 411
European corn borer, 103, 135, 307; parasitoid of, 164 reared on meridic diet, 135, 138; pupation site, 138
Eurytoma onobrychidis, biology, 219
Euschistus spp., feeding activity, 392
fall armyworm, on amaranth, 442
feather mites, 329
feeding, by *Euschistus* spp. on corn, 392; of *Stenaspis*, 528
female fitness, in digger wasps, 490
Ferguson, D. C., 411
Fergusson, L. A., 80
Ferrington, L. C., 292, 294
fire ants, effects of diet, 288
Fisher, J. R., 607
Fisher, R. M., 581
floral associations of Alaskan bees, 468
florivore, larvae of *Eupithecia*, 411
flour, wheat, contamination by insects and molds, 563
Formicidae, 133; fire ants, 288
Freilich, J. E., 268
Freytag, P. H., 281
fungus gnats, 128
giant water bug, 316
Gilstrap, F. E., 511
Goldsmith, S. K., 528
Gonzales, M. J., 548
grain amaranths, 440
Graminella **barinasensis**, new species, 281
grasses, greenbug aphids on, 117
grasshoppers, cannibalism in, 534
greenbugs, 117
green cloverworm, predators and parasites, 156
green peach aphid, on spinach, 596
Grodhaus, G., 292; obituary, 294; publications of, 296
Grombacher, A. W., 103
Guarisco, H., 127
Guinn, D. A., 468
Gustin, R. D., 348
Guthrie, W. D., 103, 135, 138
Gyrinidae, diel activity, 268
Habrocytus, hyperparasite of conopid, 418
Halictidae, taxonomy, 496
Halliday, W. R., 430
Hammond, R. B., 96
Harrison, J., 133
Hastings, J. M., 363
hatching time, effect of on larval survival in *Diabrotica*, 108
Heliothis zea, *H. virescens*, egg-hatching behavior, 413
Hellenthal, R. A., 245
Hofmeister, R. M., 400
honey bees, 80; Dufour's gland, 449; transfer of sunflower pollen, 387
Horn, D. J., 203
Hoyer H., 381
Hydrophilidae, new species from Ecuador, 282
hyperparasitism, 203, 418
Ikenga, J. O., 449
insects, effects of on quality of stored wheat, 563
intraspecific variation, in Eulophidae, 189
Isoptera, 342
Jarvis, J. L., 135, 138
Jones, R. L., 164
Keaster, A. J., 542
Kindler, S. D., 279, 601
Knapp, A. K., 411
Knutson, A. E., 511

Kolmes, S. A., 80
Kraus, W. F., 316, 548
Krunić, M. D., 418
Kurczewski, F. E., 44, 254
LaBerge, W. E., 524
Laroca, S., 400
Larsson, F. K., 490
larvae, neonate, survival, 521; of *Edrabius* sp., 374; rearing conditions, effects on adult black cutworm, 542
larval density, effect on development, 307
Lasioglossum (Ctenonomia) carinatum, 496; **pavo**, new species, 501; *xystonotum*, 505
leafhoppers, dryinid parasites of, 602; on alfalfa, 593
leaf miners, 1
Levine, E., 108
Levings, S. C., 342
Lewis, E. E., 542
lice, Mallophaga of mouse-opossum, 575
life-history, of *Spalangia cameroni*, 381
Lockwood, J. A., 534
long mouthparts in "short-tongued" bees, 400
Louda, S. M., 1
Lum, P. T M., 430, 435
Macrocentrus grandii, parasitoid of European corn borer, 164
Macromerus bicinctus, 421
maize, damaged by corn borer, 135; oviposition on by *Sitophilus*, 23
maize weevil, in acorns, 416; variation, 430
Mallophaga, 245; Trimenoponidae, 575
Masaridae, 462
Mathis, M. L., 234
mating system, of *Stenaspis*, 528
McLeod, P., 596
Megachile rotundata, parasitoid and hyperparasite, 418
memorials, P. D. Ashlock, 297; G. Grodhaus, 294
Mendel, M. J., 300
Meromyza americana, in weeping lovegrass, 601
Mexican bean beetle, prey of *Podisus*, 148
Michener, C. D., 400
Mihajlović, L., 418
Mills, R. B., 416
Miltogrammini associated with Aculeata, 254
Minckley, R. L., 274
mites, on parrots, 329
molds, effects of on quality of wheat, 563
Morgan, P. B., 381
mouse-opossum, Mallophaga from, 575
mouthparts, elongate labium in bees, 400
multiple patrilines, in honey bees, 80
Musca domestica, parasitoid of, 381
Mycetophilidae, 128
Myzus persicae, on spinach, 596
Nabis roseipennis, predator of green cloverworm, 156
Nasutitermes **dasyopsis**, new species, 342
Nechols, J. R., 146, 177
nest architecture, of *Perdita* spp., 59
nesting, by *Bembix*, 490
nesting behavior, of *Tachysphex acutus*, 44; of *Perdita* spp., 59
nesting biology, of *Perdita*, 140
Niltonia, fine structure of labium, 400
Noctuidae, behavior of *Agrotis*, 542
Nosema bombi, effect of on colonies of bumble bees, 581
Nosema locustae, 534
obituaries, P. D. Ashlock, 297; G. Grodhaus, 294
Obrycki, J. J., 146, 211
odor, responses to by braconid parasitoids, 164
Oloumi-Sadeghi, H., 108
O'Neil, R. J., 148
ontogeny of cannibalism in grasshoppers, 534
overwintering, of eggs of corn rootworm, 607
oviposition, by *Sitophilus*, 23
Owens, J. C., 300
Pappas, C. D., 228
Pappas, L. G., 228
Paracymus **fuscatus**, new species, 282; **inconditus**, new species, 283
parasites, of southwestern corn borer, 511
parasitoids, 156, 164, 177, 189, 203, 211, 274; Bombyliidae, 274; of muscoid flies, 381
Parr, J. C., 593
parrots, feather mites on, 329
Pass, B. C., 593
paternal care of eggs in *Abedus*, 548
Patterson, R. S., 381
Pectinapis, review, 524; key, 524; **salviae**, new species, 524
Pedersen, J. R., 335, 563
Pentatomidae, 148; feeding on corn, 392
Perdita bradleyi, nesting, 140
Perdita species, nesting behavior, 59
phenology, of Alaskan bees, 468
phenotypic variants in maize weevil, 430
planthoppers, dryinid parasites of, 602
pocket gopher, chewing lice from, 245
Podisus maculiventris, predation by, 148
Polistes annularis, brood rearing, 353
pollen, of sunflower, carried by honey bees, 387
Pomeroy, N., 581
Pompiloidea associated with Miltogrammini, 254
population dynamics, of aphid parasitoids, 203
Porter, S. D., 288
potato leafhopper, on alfalfa, 593
predators, of southwestern corn borer, 511
Price, R. D., 245, 575
Pteromalidae, parasitoids of muscoid flies, 381
Pyralidae, southwestern corn borer, 511
Reed, C., 563
resistance, by maize to corn borer and DIMBOA, 103
rice weevil, amylase inhibitors, 435
Richards, K. W., 219, 418
Richman, D. B., 300
Roubik, D. W., 11
Ruberson, J. R., 189
Russell, W. A., 103
sainfoin seed chalcid, 219
Sakagami, S. F., 496
Sarcophagidae, Miltogrammini, 254
Scaptomyza nigrita, 1
Schizopteridae, 125

seasonal occurrence, of potato leafhopper, 593; of green peach aphid, 596; of seed chalcid, 219
secondary parasitism, of Aphidiidae, 203
Sedlacek, J. D., 392
seed chalcids, 219
selection, for non-diapausing weevil, 132
Shaw, P. B., 300
Sitophilus, oryzae, 435
Sitophilus zeamais, 23; development, 32; in acorns, 416; variation, 430
size, effect of on territory defense, 363; of black cutworm moth, affected by larval crowding, 542
size variation, in *Centris pallida*, 484
solitary bee fauna of interior and arctic Alaska, 468
sorghum sprouting, effect on stored-grain insects, 335
southwestern corn borer, 307, 511
soybean, early defoliation, effects on yield, 96
Spalangia cameroni, life history, 381
Sphecidae, behavior, 44; *Bembix*, 490
Sphecius grandis, territory defense, 363
Sphecoidea associated with Miltogrammini, 254
spiders, Amaurobiidae, 127; of Arkansas, 284; predators of corn borer, 511
Spofford, M. G., 254
Springer, T. L., 279, 601
squash bug, egg parasitoids of, 177
Staphylinidae, larva of *Edrabius*, 374
Starks, K. J., 117
starvation and larval survival in *Diabrotica*, 108
Stenaspis verticalis arizonicus, 528
stingless bees, ecology, 11
stink bugs, feeding on corn, 392
stored-grain insects, 335
Strassmann, J. E., 353
Sublette, J. E., 294
Sublette, M., 294
sunflower pollen carried by honey bees, 387
sunflower stem weevil, 132
surface wave communication, 316
survival, of larval *Diabrotica*, 521
Swedenborg, P. D., 164
synanthropy, by bees, 17
Tachysphex acutus, nesting behavior, 44
Taliaferro, C. M., 279
tarnished plant bug, on amaranth, 444
Tauber, C. A., 189
Tauber, M. J., 189
temperature, effect on development of *Anastatus semiflavidus*, 300; effect on development of corn rootworm, 348
Tengö, J., 490
Tepedino, V. J., 411
termination of brood rearing in *Polistes*, 353
termites, from Panama, 342
thermal constant, 342
Thomomydoecus wardi complex, 245; *wardi*, 246; **barbarae**, new species, 248; *arleneae*, new species, 250
Thorne, B. L., 342
tillage systems, effect on corn rootworm, 348
Timm, R. M., 374, 575
Townsend, L. H., 392
Tracy, J. L., 177
Trichoptera, in Arkansas, 234
Trigona, 11
ultrastructure, of Dufour's gland, 449
Urrelo, R., 23, 32
variation, in size, of *Centris*, 484
Vehrencamp, S. L., 548
Vespoidea associated with Miltogrammini, 254
Vogt, E. A., 177
wave communication in *Abedus*, 316
Wcislo, W. T., 421
weeping lovegrass, wheat stem maggot in, 601
weevils, fighting, 421; variation in, 430; amylase inhibitors in, 435
western corn rootworm, 108; effect of temperature on development, 348; egg hatch, 607
wheat, deterioration of quality, 563
wheat stem maggot, in weeping lovegrass, 601
whirligig beetles, behavior of, 268
Wilson, R. L., 387, 440
Winston, M. L., 80
wireworms, influence of cropping systems, 590; collected at baits, 590
Wongo, L. E., 335
Wooldridge, D. P., 282
Wright, V. F., 23, 32, 563
Xylocopa, parasitoids of, 274
Yeargan, K. V., 156